

Smith Creek

DATE	RAIN	SITE NAME	SITE LOCATION	DEPTH M	TEMPERATURE C	CONDUCTIVITY uS	SALINITY ppt	DO mg/L	DO %	pH	TURBIDITY	ENTEROCOCCI CFU	Chl-a mg L	NITRATE_NITRITE	ORTHOPOSHATE
15-Nov-07	0.2	SC-CH	CASTLE HAYNE ROAD	0.1	16.0	21501	15.9	7.0	78	7.3	4	285	3.2	0.35	0.04
15-Nov-07	0.2	SC-CH	CASTLE HAYNE ROAD	1.8	16.0	21762	16.1	6.8	0.76	7.4	8	N/A	N/A	N/A	N/A
15-Nov-07	0.2	SC-23	23RD STREET	0.1	15.8	15891	11.5	8.5	0.92	7.5	3	238	34.2	0.25	0.03
15-Nov-07	0.2	SC-23	23RD STREET	2.4	15.8	16177	11.7	8.4	0.91	7.6	4	N/A	N/A	N/A	N/A
15-Nov-07	0.2	SC-CD	CANDLEWOOD DRIVE	0.1	15.4	166	0.1	7.9	0.79	7.2	7	517	13.9	0.24	0.06
15-Nov-07	0.2	SC-NK	NORTH KERR	0.1	14.9	8517	6.0	7.7	0.8	7.0	0	99	9.61	0.01	0.01
15-Nov-07	0.2	SC-NK	NORTH KERR	2.8	14.8	8790	6.2	7.7	0.8	7.1	0	N/A	N/A	N/A	N/A
15-Nov-07	0.2	SC-GR	GORDON ROAD	0.1	15.4	191	0.1	6.4	0.64	7.0	0	250	27.8	0.07	0.01
13-Dec-07	0.0	SC-CH	CASTLE HAYNE ROAD	0.1	15.1	23625	18.1	7.1	0.79	7.3	4	11	1.0	0.41	0.05
13-Dec-07	0.0	SC-CH	CASTLE HAYNE ROAD	1.8	14.4	24254	18.6	7.2	0.79	7.4	6	N/A	N/A	N/A	N/A
13-Dec-07	0.0	SC-23	23RD STREET	0.1	15.7	18805	13.8	7.5	0.82	7.3	1	1300	6.01	0.29	0.05
13-Dec-07	0.0	SC-23	23RD STREET	2.3	15.2	18911	14.1	7.7	0.84	7.3	1	N/A	N/A	N/A	N/A
13-Dec-07	0.0	SC-GR	GORDON ROAD	0.5	15.9	212	0.1	3.3	0.33	6.8	6	N/A	N/A	N/A	N/A
13-Dec-07	0.0	SC-CD	CANDLEWOOD DRIVE	0.1	16.6	257	0.2	5.8	0.59	7.1	0	1210	1.0	.03	0.01
13-Dec-07	0.0	SC-NK	NORTH KERR	0.1	16.2	5712	3.8	6.2	0.64	6.8	0	238	1.0	.05	0.01
13-Dec-07	0.0	SC-NK	NORTH KERR	2.8	16.2	5802	3.8	6.2	0.64	6.8	1	N/A	N/A	N/A	N/A
13-Dec-07	0.0	SC-GR	GORDON ROAD	0.1	16.0	219	0.1	3.8	0.38	6.8	0	139	2.0	.04	0.01
24-Jan-08	0.0	SC-CH	CASTLE HAYNE ROAD	0.1	10.0	5848	4.6	5.8	52%	6.5	10	107	2.67	0.36	0.06
24-Jan-08	0.0	SC-CH	CASTLE HAYNE ROAD	1.6	9.8	6277	5.0	7.8	70%	6.7	16	N/A	N/A	N/A	N/A
24-Jan-08	0.0	SC-23	23RD STREET	0.1	9.5	2780	2.1	10.5	90%	7.1	9	649	2.0	0.21	0.05
24-Jan-08	0.0	SC-23	23RD STREET	2.2	9.5	2908	2.2	10.2	87%	7.1	9	N/A	N/A	N/A	N/A
24-Jan-08	0.0	SC-CD	CANDLEWOOD DRIVE	0.1	12.2	182	0.1	9.2	86%	7.0	1	41	1.0	0.06	0.06
24-Jan-08	0.0	SC-NK	NORTH KERR	0.1	10.0	582	0.4	9.2	82%	7.0	2	122	2.67	0.16	0.09
24-Jan-08	0.0	SC-GR	GORDON ROAD	0.1	11.7	182	0.1	8.6	78%	7.0	1	53	2.0	0.11	0.04
24-Jan-08	0.0	SC-NK	NORTH KERR	3.2	9.9	588	0.4	9.2	81%	6.9	6	N/A	N/A	N/A	N/A
19-Feb-08	0.0	SC-NK	NORTH KERR	0.1	13.9	173	0.1	8.1	79	7.0	13	860	1.0	0.14	0.01
19-Feb-08	0.0	SC-CH	CASTLE HAYNE ROAD	0.1	13.7	2309	1.6	7.6	74	6.8	16	85	2.0	0.49	0.04
19-Feb-08	0.0	SC-CH	CASTLE HAYNE ROAD	1.5	13.7	2259	1.5	8.3	81	6.9	21	N/A	N/A	N/A	N/A
19-Feb-08	0.0	SC-23	23RD STREET	0.1	15.0	1025	0.6	7.8	78	7.1	15	292	1.0	0.14	0.02
19-Feb-08	0.0	SC-GR	GORDON ROAD	0.1	14.0	154	0.1	8.9	86	7.0	12	345	1.0	0.13	0.02
19-Feb-08	0.0	SC-23	23RD STREET	2.3	15.0	1033	0.6	7.8	78	7.2	16	N/A	N/A	N/A	N/A
19-Feb-08	0.0	SC-NK	NORTH KERR	2.4	13.9	174	0.1	8.1	78	7.0	15	N/A	N/A	N/A	N/A
19-Feb-08	0.0	SC-CD	CANDLEWOOD DRIVE	0.1	14.8	167	0.1	9.2	91	7.1	17	703	1.0	0.07	0.01
20-Mar-08	0.2	SC-CH	CASTLE HAYNE ROAD	0.1	16.2	729	0.4	8.6	89%	7.3	6	52	1.0	0.46	0.04
20-Mar-08	0.2	SC-CH	CASTLE HAYNE ROAD	2.4	16.2	735	0.4	8.5	88%	7.3	18	N/A	N/A	N/A	N/A
20-Mar-08	0.2	SC-23	23RD STREET	0.1	17.1	579	0.3	8.6	89%	7.3	8	5	17.4	0.16	0.02
20-Mar-08	0.2	SC-23	23RD STREET	2.5	17.1	580	0.3	8.6	89%	7.3	9	N/A	N/A	N/A	N/A
20-Mar-08	0.2	SC-CD	CANDLEWOOD DRIVE	0.1	17.7	200	0.1	8.5	89%	7.1	5	708	4.67	0.08	0.01
20-Mar-08	0.2	SC-NK	NORTH KERR	0.1	17.9	310	0.2	7.5	79%	7.1	3	41	21.4	0.12	0.02
20-Mar-08	0.2	SC-NK	NORTH KERR	2.8	17.9	310	0.2	7.6	80%	7.1	4	N/A	N/A	N/A	N/A
20-Mar-08	0.2	SC-GR	GORDON ROAD	0.1	17.1	191	0.1	7.6	79%	7.1	1	275	1.0	0.10	0.02
04-Apr-08	0.2	SC-CH	CASTLE HAYNE ROAD	0.1	16.6	5671	3.7	8.0	84%	7.0	20	41	7.34	0.14	0.05
04-Apr-08	0.2	SC-CH	CASTLE HAYNE ROAD	1.5	16.6	5734	3.8	8.0	84%	7.0	24	N/A	N/A	N/A	N/A

Smith Creek

DATE	RAIN	SITE NAME	SITE LOCATION	DEPTH M	TEMPERATURE C	CONDUCTIVITY uS	SALINITY ppt	DO mg/L	DO %	pH	TURBIDITY	ENTEROCOCCI CFU	Chl-a mg L	NITRATE_NITRITE	ORTHOPOSHATE
04-Apr-08	0.2	SC-23	23RD STREET	0.1	16.9	848	0.5	7.7	80%	7.4	16	31	18.7	0.06	0.5
04-Apr-08	0.2	SC-23	23RD STREET	2.1	16.9	849	0.5	7.7	80%	7.4	16	N/A	N/A	N/A	N/A
04-Apr-08	0.2	SC-CD	CANDLEWOOD DRIVE	0.1	17.7	187	0.1	8.5	89%	7.1	10	663	1.0	0.06	0.01
04-Apr-08	0.2	SC-NK	NORTH KERR	0.1	16.4	309	0.2	6.6	68%	7.1	4	121	4.0	0.12	0.01
04-Apr-08	0.2	SC-GR	GORDON ROAD	0.1	17.0	177	0.1	8.0	82%	7.0	4	146	1.0	0.08	0.03
04-Apr-08	0.2	SC-NK	NORTH KERR	3.0	16.3	311	0.2	6.6	67%	7.1	5	N/A	N/A	N/A	N/A
06-May-08	1.5	SC-CH	CASTLE HAYNE ROAD	0.1	22.1	4185	2.4	5.7	66%	7.1	12	74	7.5	0.37	0.05
06-May-08	1.5	SC-CH	CASTLE HAYNE ROAD	1.8	22.1	4158	2.4	5.8	67%	7.0	15	N/A	N/A	N/A	N/A
06-May-08	1.5	SC-23	23RD STREET	0.1	22.9	1832	1.0	5.6	66%	7.1	21	31	20.3	0.15	0.06
06-May-08	1.5	SC-23	23RD STREET	2.7	22.7	1845	1.0	5.5	64%	7.1	26	N/A	N/A	N/A	N/A
06-May-08	1.5	SC-CD	CANDLEWOOD DRIVE	0.1	21.4	174	0.1	7.9	89%	7.1	8	384	1.0	0.05	0.01
06-May-08	1.5	SC-NK	NORTH KERR	0.1	19.8	179	0.1	5.9	65%	7.0	16	7701	12.8	0.25	0.05
06-May-08	1.5	SC-NK	NORTH KERR	3.6	19.8	186	0.1	5.9	64	6.9	19	N/A	N/A	N/A	N/A
06-May-08	1.5	SC-GR	GORDON ROAD	0.1	20.4	166	0.1	7.2	80	6.9	6	435	1.0	0.18	0.02
04-Jun-08	0.0	SC-CH	CASTLE HAYNE ROAD	0.1	26.2	16776	9.6	5.4	71%	7.0	7	52	25.6	0.37	0.04
04-Jun-08	0.0	SC-CH	CASTLE HAYNE ROAD	2.0	25.8	16903	9.8	5.1	66%	7.0	14	N/A	N/A	N/A	N/A
04-Jun-08	0.0	SC-23	23RD STREET	0.1	27.0	6460	3.4	4.5	58%	7.1	8	10	22.4	0.23	0.04
04-Jun-08	0.0	SC-23	23RD STREET	2.6	26.5	7014	3.7	4.4	56%	7.0	10	N/A	N/A	N/A	N/A
04-Jun-08	0.0	SC-CD	CANDLEWOOD DRIVE	0.1	26.4	257	0.1	7.6	95%	7.4	0	2010	5.34	0.13	0.01
04-Jun-08	0.0	SC-NK	NORTH KERR	0.1	25.8	1102	0.5	5.1	63%	7.1	4	41	25.6	0.09	0.01
04-Jun-08	0.0	SC-NK	NORTH KERR	2.8	25.8	1124	0.6	5.1	62%	7.0	15	N/A	N/A	N/A	N/A
04-Jun-08	0.0	SC-GR	GORDON ROAD	0.1	22.7	231	0.1	6.7	78%	7.2	0	96	5.34	0.15	0.01
02-Jul-08	0.0	SC-CH	CASTLE HAYNE ROAD	0.1	28.5	26977	15.3	5.0	70%	7.2	4	14	12.8	0.39	0.03
02-Jul-08	0.0	SC-CH	CASTLE HAYNE ROAD	1.5	28.4	27028	15.4	4.9	69%	7.2	12	N/A	N/A	N/A	N/A
02-Jul-08	0.0	SC-23	23RD STREET	0.1	28.2	14116	7.6	4.9	66%	7.0	5	155	24.8	0.30	0.01
02-Jul-08	0.0	SC-CD	CANDLEWOOD DRIVE	0.1	23.8	231	0.1	7.5	89%	7.3	0	1700	1.2	0.12	0.01
02-Jul-08	0.0	SC-NK	NORTH KERR	0.1	25.9	1405	0.7	4.4	54%	7.1	3	91	25.6	0.12	0.01
02-Jul-08	0.0	SC-NK	NORTH KERR	2.7	25.9	1401	0.7	4.4	54%	7.1	5	N/A	N/A	N/A	N/A
02-Jul-08	0.0	SC-GR	GORDON ROAD	0.1	21.6	223	0.1	6.6	75%	7.2	0	290	1.2	0.14	0.01
05-Aug-08	0.0	SC-CH	CASTLE HAYNE ROAD	0.1	30.9	25964	14.0	3.5	51%	7.2	14	37	16.5	0.40	0.04
05-Aug-08	0.0	SC-CH	CASTLE HAYNE ROAD	2.1	30.8	25938	14.0	3.3	48%	7.1	28	N/A	N/A	N/A	N/A
05-Aug-08	0.0	SC-23	23RD STREET	0.1	31.0	12907	6.5	3.8	52%	7.2	8	637	19.4	0.30	0.04
05-Aug-08	0.0	SC-23	23RD STREET	2.8	30.9	14934	7.7	3.5	49%	7.1	15	N/A	N/A	N/A	N/A
05-Aug-08	0.0	SC-CD	CANDLEWOOD DRIVE	0.1	28.3	232	0.1	6.7	87%	7.2	0	109	7.0	0.13	0.01
05-Aug-08	0.0	SC-NK	NORTH KERR	0.1	29.3	1291	0.6	4.7	62%	7.1	3	127	38	0.12	0.01
05-Aug-08	0.0	SC-NK	NORTH KERR	2.4	29.3	1293	0.6	4.7	62%	7.0	6	N/A	N/A	N/A	N/A
05-Aug-08	0.0	SC-GR	GORDON ROAD	0.1	26.4	210	0.1	6.3	78%	7.2	3	1637	1.8	0.12	0.01
02-Sep-08	0.0	SC-CH	CASTLE HAYNE ROAD	0.1	28.1	10824	5.7	5.6	74%	6.9	6	37	4.8	0.5	0.07
02-Sep-08	0.0	SC-CH	CASTLE HAYNE ROAD	2.1	27.9	10779	5.7	4.5	59%	6.9	11	N/A	N/A	N/A	N/A
02-Sep-08	0.0	SC-23	23RD STREET	0.1	28.6	10012	5.2	4.2	56%	7.0	6	100	12	0.29	0.05
02-Sep-08	0.0	SC-23	23RD STREET	3.0	28.0	1110	5.9	3.9	52%	6.9	11	N/A	N/A	N/A	N/A
02-Sep-08	0.0	SC-CD	CANDLEWOOD DRIVE	0.1	24.5	204	0.1	7.5	90%	7.1	3	728	2.6	0.1	0.01
02-Sep-08	0.0	SC-NK	NORTH KERR	0.1	26.2	987	0.5	4.5	55%	7.0	3	154	9.7	0.14	0.04

Smith Creek

DATE	RAIN	SITE NAME	SITE LOCATION	DEPTH M	TEMPERATURE C	CONDUCTIVITY uS	SALINITY ppt	DO mg/L	DO %	pH	TURBIDITY	ENTEROCOCCI CFU	Chl-a mg L	NITRATE_NITRITE	ORTHOPOSHATE
02-Sep-08	0.0	SC-NK	NORTH KERR	3.0	26.2	994	0.5	4.5	55%	7.0	3	N/A	N/A	N/A	N/A
02-Sep-08	0.0	SC-GR	GORDON ROAD	0.1	23.1	202	0.1	7.4	86%	7.2	3	163	1.1	0.11	0.01
16-Oct-08	0.0	SC-CH	CASTLE HAYNE ROAD	0.1	23.0	16360	10.0	6.1	75%	7.1	8	28	5	0.27	0.03
16-Oct-08	0.0	SC-CH	CASTLE HAYNE ROAD	2.1	22.9	16716	10.3	6.1	75%	7.1	11	N/A	N/A	N/A	N/A
16-Oct-08	0.0	SC-23	23RD STREET	0.1	23.1	9858	4.5	6.3	76%	7.2	18	118	6	0.21	0.09
16-Oct-08	0.0	SC-23	23RD STREET	1.9	22.6	9400	5.7	6.0	71%	7.1	20	N/A	N/A	N/A	N/A
16-Oct-08	0.0	SC-CD	CANDLEWOOD DRIVE	0.1	20.7	247	0.1	7.9	88%	7.1	0	1182	6	0.05	0.02
16-Oct-08	0.0	SC-NK	NORTH KERR	0.1	21.4	374	0.2	4.6	52%	7.1	0	118	6	0.08	0.1
16-Oct-08	0.0	SC-NK	NORTH KERR	3.2	21.4	376	0.2	4.6	52%	7.0	7	N/A	N/A	N/A	N/A
16-Oct-08	0.0	SC-GR	GORDON ROAD	0.1	20.2	218	0.1	6.7	71%	7.2	3	1455	3	0.08	0.06
14-Nov-08	0.5	SC-CH	CASTLE HAYNE ROAD	0.1	16.4	15792	11.3	6.8	74%	7.1	12	199	3	0.53	0.05
14-Nov-08	0.5	SC-CH	CASTLE HAYNE ROAD	2.9	16.3	16530	11.9	6.7	74%	7.1	37	N/A	N/A	N/A	N/A
14-Nov-08	0.5	SC-23	23RD STREET	0.1	16.5	5440	3.6	6.8	71	7.2	9	546	5	0.25	0.04
14-Nov-08	0.5	SC-23	23RD STREET	2.9	16.4	7640	5.2	6.8	72	7.1	14	N/A	N/A	N/A	N/A
14-Nov-08	0.5	SC-CD	CANDLEWOOD DRIVE	0.1	18.2	133	0.1	9.1	96	6.4	9	4700	4	0.08	0.05
14-Nov-08	0.5	SC-NK	NORTH KERR	0.1	18.0	162	0.1	5.2	55	6.7	14	2000	2	0.12	0.05
14-Nov-08	0.5	SC-NK	NORTH KERR	2.9	18.0	162	0.1	5.0	53%	6.7	14	N/A	N/A	N/A	N/A
14-Nov-08	0.5	SC-GR	GORDON ROAD	0.1	17.9	122	0.1	7.5	80%	6.6	8	5900	2	0.20	0.03
03-Dec-08	0.0	SC-CH	CASTLE HAYNE ROAD	0.1	10.9	1588	1.1	8.9	81%	7.6	6	37	1	0.20	0.06
03-Dec-08	0.0	SC-CH	CASTLE HAYNE ROAD	2.4	10.9	1906	1.4	8.6	79%	7.5	18	N/A	N/A	N/A	N/A
03-Dec-08	0.0	SC-23	23RD STREET	0.1	11.1	556	0.4	8.5	78%	7.6	4	163	4	0.11	0.03
03-Dec-08	0.0	SC-23	23RD STREET	2.6	11.2	557	0.4	8.4	77%	7.5	5	N/A	N/A	N/A	N/A
03-Dec-08	0.0	SC-CD	CANDLEWOOD DRIVE	0.1	11.2	142	0.1	9.7	89%	6.9	2	280	2	0.09	0.01
03-Dec-08	0.1	SC-NK	NORTH KERR	0.1	10.2	180	0.1	8.8	79%	6.9	2	91	2	0.15	0.01
03-Dec-08	0.0	SC-NK	NORTH KERR	2.5	10.2	179	0.1	8.5	76%	6.9	2	N/A	N/A	N/A	N/A
03-Dec-08	0.0	SC-GR	GORDON ROAD	0.1	10.8	123	0.1	9.9	90%	7.0	1	290	2	0.07	0.01
13-Jan-09	0.5	SC-CH	CASTLE HAYNE ROAD	0.1	10.5	253	0.2	9.8	88%	7.6	36	91	3	0.12	0.11
13-Jan-09	0.5	SC-CH	CASTLE HAYNE ROAD	2.6	10.5	253	0.2	9.7	87%	7.5	45	N/A	N/A	N/A	N/A
13-Jan-09	0.5	SC-23	23RD STREET	0.1	11.3	381	0.3	9.3	85%	7.3	10	145	2	0.01	0.06
13-Jan-09	0.5	SC-23	23RD STREET	2.8	11.3	373	0.3	9.2	84%	7.3	12	N/A	N/A	N/A	N/A
13-Jan-09	0.5	SC-GR	GORDON ROAD	0.1	11.0	135	0.1	9.5	86%	7.2	3	6000	3	0.01	0.03
13-Jan-09	0.5	SC-CD	CANDLEWOOD DRIVE	0.1	10.5	135	0.1	9.7	87%	7.0	9	7000	2	0.01	0.03
13-Jan-09	0.5	SC-NK	NORTH KERR	0.1	10.7	301	0.2	9.3	83%	7.0	1	364	7	0.03	0.04
13-Jan-09	0.5	SC-NK	NORTH KERR	2.2	10.7	300	0.2	9.2	82%	7.0	2	N/A	N/A	N/A	N/A
10-Feb-09	0.0	SC-CH	CASTLE HAYNE ROAD	2.8	9.1	2280	2.5	10.8	95%	6.7	18	N/A	N/A	N/A	N/A
10-Feb-09	0.0	SC-CH	CASTLE HAYNE ROAD	0.1	9.1	3309	2.5	10.9	96%	6.7	16	10	4	0.12	0.08
10-Feb-09	0.0	SC-23	23RD STREET	3.0	9.7	927	0.7	10.5	92%	7.1	20	N/A	N/A	N/A	N/A
10-Feb-09	0.0	SC-23	23RD STREET	0.1	9.7	906	0.6	10.5	93%	7.1	17	82	5.0	0.04	0.06
10-Feb-09	0.0	SC-CD	CANDLEWOOD DRIVE	0.1	13.4	182	0.1	9.6	92%	6.9	3	1091	1	0.01	0.01
10-Feb-09	0.0	SC-NK	NORTH KERR	0.1	12.3	269	0.2	9.7	91%	7.0	0	181	3	0.01	0.01
10-Feb-09	0.0	SC-NK	NORTH KERR	2.0	12.3	269	0.2	9.7	90%	7.0	0	N/A	N/A	N/A	N/A
10-Feb-09	0.0	SC-GR	GORDON ROAD	0.1	13.6	176	0.1	9.3	8.9%	7.1	0	540	1	0.01	0.01
10-Mar-09	0.0	SC-CH	CASTLE HAYNE ROAD	0.1	11.8	138	0.1	10.1	93%	6.8	12	46	3	0.09	0.08

Smith Creek

DATE	RAIN	SITE NAME	SITE LOCATION	DEPTH M	TEMPERATURE C	CONDUCTIVITY uS	SALINITY ppt	DO mg/L	DO %	pH	TURBIDITY	ENTEROCOCCI CFU	Chl-a mg L	NITRATE_NITRITE	ORTHOPOSHATE
10-Mar-09	0.0	SC-CH	CASTLE HAYNE ROAD	2.3	11.6	138	0.1	10.1	93%	6.7	28	N/A	N/A	N/A	N/A
10-Mar-09	0.0	SC-23	23RD STREET	0.1	13.5	358	0.2	10.3	99%	6.8	12	73	4	0.04	0.05
10-Mar-09	0.0	SC-23	23RD STREET	3.1	13.3	346	0.2	10.3	99%	6.8	12	N/A	N/A	N/A	N/A
10-Mar-09	0.0	SC-CD	CANDLEWOOD DRIVE	0.1	15.5	183	0.1	9.7	96%	6.8	2	1546	1.0	0.01	0.01
10-Mar-09	0.0	SC-NK	NORTH KERR	0.1	16.0	290	0.2	8.8	90%	6.9	2	200	3	0.01	0.02
10-Mar-09	0.0	SC-NK	NORTH KERR	2.6	16.0	291	0.2	8.9	90%	6.9	3	N/A	N/A	N/A	N/A
10-Mar-09	0.0	SC-GR	GORDON ROAD	0.1	14.8	164	0.1	9.1	90%	7.0	1	230	1	0.01	0.01
08-Apr-09	0.0	SC-CH	CASTLE HAYNE ROAD	0.1	16.4	250	0.1	8.3	84%	6.6	11	819	36	0.01	0.03
08-Apr-09	0.0	SC-CH	CASTLE HAYNE ROAD	2.5	16.4	251	0.1	8.2	84%	6.6	15	N/A	N/A	N/A	N/A
08-Apr-09	0.0	SC-23	23RD STREET	0.1	16.2	378	0.2	8.6	87%	6.7	11	28	4	0.01	0.06
08-Apr-09	0.0	SC-23	23RD STREET	3.2	16.2	381	0.2	8.6	87%	6.7	11	N/A	N/A	N/A	N/A
08-Apr-09	0.0	SC-CD	CANDLEWOOD DRIVE	0.1	16.4	250	0.1	8.3	84%	6.6	11	630	1	0.01	0.01
08-Apr-09	0.0	SC-NK	NORTH KERR	0.1	14.3	245	0.2	7.7	75%	6.7	2	55	11	0.01	0.03
08-Apr-09	0.0	SC-NK	NORTH KERR	2.7	14.2	245	0.2	7.5	73%	6.8	2	N/A	N/A	N/A	N/A
08-Apr-09	0.0	SC-GR	GORDON ROAD	0.1	12.7	148	0.1	10.6	100%	6.9	0	600	1	0.01	0.02
07-May-09	0.1	SC-CH	CASTLE HAYNE ROAD	0.1	23.8	7589	4.3	8.3	100%	7.2	14	28	5	0.01	0.08
07-May-09	0.1	SC-CH	CASTLE HAYNE ROAD	2.2	23.8	7824	4.4	8.3	100%	7.2	17	N/A	N/A	N/A	N/A
07-May-09	0.1	SC-23	23RD STREET	0.1	24.6	2662	1.4	7.3	88%	7.4	7	5	9	0.01	0.07
07-May-09	0.1	SC-23	23RD STREET	2.3	24.5	2651	1.4	7.3	88%	7.4	9	N/A	N/A	N/A	N/A
07-May-09	0.1	SC-CD	CANDLEWOOD DRIVE	0.1	21.1	294	0.2	8.8	99%	7.3	12	21000	4	0.01	0.03
07-May-09	0.1	SC-NK	NORTH KERR	0.1	24.0	518	0.3	5.9	70%	7.2	0	728	46	0.01	0.03
07-May-09	0.1	SC-NK	NORTH KERR	2.0	24.0	517	0.3	5.7	68%	7.2	1	N/A	N/A	N/A	N/A
07-May-09	0.1	SC-GR	GORDON ROAD	0.1	20.6	261	0.1	8.5	94%	7.4	4	4000	7	0.01	0.03
09-Jun-09	0.0	SC-CD	CANDLEWOOD DRIVE	0.1	24.5	167	0.1	7.1	85	7.3	8	4300	1	0.11	0.04
09-Jun-09	0.0	SC-GR	GORDON ROAD	0.1	22.7	222	0.1	7.5	87	7.3	6	3200	1	0.13	0.01
09-Jun-09	0.0	SC-NK	NORTH KERR	0.1	25.0	418	0.2	5.4	66	7.2	6	290	10	0.13	0.01
09-Jun-09	0.0	SC-23	23RD STREET	3.0	27.2	4026	2.0	5.4	69	7.4	12	N/A	N/A	N/A	N/A
09-Jun-09	0.0	SC-23	23RD STREET	0.1	27.2	3565	1.8	5.7	72	7.5	10	55	25	0.23	0.05
09-Jun-09	0.0	SC-CH	CASTLE HAYNE ROAD	2.1	26.7	13060	7.2	4.5	59	7.3	26	N/A	N/A	N/A	N/A
09-Jun-09	0.0	SC-CH	CASTLE HAYNE ROAD	0.1	26.8	12663	7.0	5.6	72	7.3	8	600	11	0.44	0.07
09-Jun-09	0.0	SC-NK	NORTH KERR	1.8	25.0	415	0.2	5.0	59	7.1	6	N/A	N/A	N/A	N/A
07-Jul-09	6.4	SC-CH	CASTLE HAYNE ROAD	0.1	24.1	271	0.1	6.0	72%	7.7	33	57000	9	0.19	0.06
07-Jul-09	6.4	SC-CH	CASTLE HAYNE ROAD	2.0	24.1	1578	0.8	5.9	70%	7.2	32	N/A	N/A	N/A	N/A
07-Jul-09	6.4	SC-23	23RD STREET	0.1	23.9	81	0.0	6.1	72%	7.6	32	39000	14	0.14	0.06
07-Jul-09	6.4	SC-23	23RD STREET	2.2	23.5	81	0.0	6.0	70%	7.5	31	N/A	N/A	N/A	N/A
07-Jul-09	6.4	SC-CD	CANDLEWOOD DRIVE	0.1	24.9	79	0.0	6.2	75%	6.8	52	18000	15	0.11	0.02
07-Jul-09	6.4	SC-NK	NORTH KERR	0.1	23.8	89	0.0	5.5	65%	6.7	21	38000	3	0.38	0.05
07-Jul-09	6.4	SC-NK	NORTH KERR	1.8	23.8	89	0.0	5.4	64%	6.7	21	N/A	N/A	N/A	N/A
07-Jul-09	6.4	SC-GR	GORDON ROAD	0.1	24.2	109	0.1	5.6	67%	6.5	23	23000	10	0.49	0.02
05-Aug-09	0.0	SC-CH	CASTLE HAYNE ROAD	0.1	29.5	11311	5.9	4.5	60%	7.2	21	40	6	0.48	0.08
05-Aug-09	0.0	SC-CH	CASTLE HAYNE ROAD	2.0	29.1	11544	6.0	4.1	57%	7.1	32	N/A	N/A	N/A	N/A
05-Aug-09	0.0	SC-23	23RD STREET	0.1	29.4	6232	3.1	4.8	64%	7.3	20	120	26	0.37	0.04
05-Aug-09	0.0	SC-CD	CANDLEWOOD DRIVE	0.1	26.8	245	0.1	7.0	88%	7.3	12	19000	11	0.16	0.02

Smith Creek

DATE	RAIN	SITE NAME	SITE LOCATION	DEPTH M	TEMPERATURE C	CONDUCTIVITY uS	SALINITY ppt	DO mg/L	DO %	pH	TURBIDITY	ENTEROCOCCI CFU	Chl-a mg L	NITRATE_NITRITE	ORTHOPHOSHATE
05-Aug-09	0.0	SC-23	23RD STREET	2.5	29.3	6587	3.3	4.7	63%	7.2	21	N/A	N/A	N/A	N/A
05-Aug-09	0.0	SC-NK	NORTH KERR	0.1	26.1	324	0.2	3.9	48%	7.3	20	4200	7	0.23	0.03
05-Aug-09	0.0	SC-NK	NORTH KERR	1.3	26.2	313	0.2	3.8	47%	7.3	20	N/A	N/A	N/A	N/A
05-Aug-09	0.0	SC-GR	GORDON ROAD	0.1	24.7	216	0.1	7.1	86%	7.4	20	880	1	0.17	0.01
02-Sep-09	0.0	SC-CH	CASTLE HAYNE ROAD	0.1	26.9	18872	10.7	4.2	56	6.8	2	55	3	0.04	0.06
02-Sep-09	0.0	SC-CH	CASTLE HAYNE ROAD	2.8	27.0	19161	10.9	4.1	54	6.8	12	N/A	N/A	N/A	N/A
02-Sep-09	0.0	SC-23	23RD STREET	0.1	26.3	2306	1.2	4.7	59	7.2	4	163	3	0.01	0.04
02-Sep-09	0.0	SC-23	23RD STREET	2.5	26.3	4265	2.2	4.8	60	7.2	4	N/A	N/A	N/A	N/A
02-Sep-09	0.0	SC-CD	CANDLEWOOD DRIVE	0.1	22.3	223	0.1	7.7	89	7.1	6	2546	4	0.01	0.01
02-Sep-09	0.0	SC-NK	NORTH KERR	0.1	23.6	298	0.2	4.6	54	7.1	1	2000	4	0.10	0.01
02-Sep-09	0.0	SC-NK	NORTH KERR	1.8	23.7	298	0.2	4.5	53	7.1	1	N/A	N/A	N/A	N/A
02-Sep-09	0.0	SC-GR	GORDON ROAD	0.1	21.5	239	0.1	7.3	82	7.2	0	480	1	0.01	0.01
02-Oct-09	0.0	SC-CH	CASTLE HAYNE ROAD	0.1	23.0	5539	3.1	4.7	56%	7.6	3				
02-Oct-09	0.0	SC-CH	CASTLE HAYNE ROAD	2.1	23.2	7350	4.2	4.7	57%	7.5	18				
02-Oct-09	0.0	SC-23	23RD STREET	0.1	22.3	564	0.3	4.4	50%	7.8	5				
02-Oct-09	0.0	SC-23	23RD STREET	2.1	2.3	565	0.3	4.3	49%	7.8	5				
02-Oct-09	0.0	SC-CD	CANDLEWOOD DRIVE	0.1	19.5	156	0.1	8.8	96%	6.9	5				
02-Oct-09	0.0	SC-NK	NORTH KERR	0.1	19.	220	0.1	5.3	58%	6.8	2				
02-Oct-09	0.0	SC-NK	NORTH KERR	1.7	19.5	220	.01	5.2	57%	6.8	2				
02-Oct-09	0.0	SC-GR	GORDON ROAD	0.1	18.8	158	0.1	9.0	97%	7.1	4				

Smith Creek

Smith Creek

Smith Creek

Smith Creek

Smith Creek